

# GE Profile™ 30" Smart Slide-In Electric Double Oven Convection Range



Model# PS960ELES



- Fit Guarantee - Replace your old 30" free-standing range with a new 30" slide-in model. GE slide-in ranges are guaranteed for an exact fit or GE Appliances will pay up to \$300 toward modifications. See offer criteria and details
- 12"/9"/6" 3,600W Power Boil - Pots and pans fit perfectly on the flexible heating element
- 8"/5" and 8" synchronized elements - Control two elements with the touch of a single button and create a larger cooking surface for big cookware like griddles
- Glide touch controls - Precisely control element temperature with just the swipe of a finger
- Anywhere control with remote notifications - Save time by conveniently preheating and monitoring your oven from anywhere using the GE Appliances Kitchen app
- Chef Connect - Three options with a single touch. For instant convenience, choose when to automatically sync clocks and the range elements with the microwave's surface light and vent
- True European Convection with Precise Air - Accurate heat circulation ensures evenly baked foods
- Never-scrub oven racks - Long-lasting racks look great and can be cleaned at the same time as the oven
- Precision temperature probe - Monitor the progress of roasts and meats through the GE Appliances Kitchen app on your smartphone for accurately cooked results
- Fast preheat - Make hot meals in a hurry with less time preheating

## FEATURES

Cooktop Burner Type	Radiant; Smoothtop
Cooktop Surface	Black Ceramic Glass
Element - Left Front	8"/5" 1900W Sync Element
Element - Left Rear	8" 2000W Sync Element
Element - Right Front	12"/9"/6" 3600W Power Boil
Element - Right Rear	6" 1200W
Element - Center	6" 100W Warming Zone
Configuration	Double Oven Range
Control Location	Front
Hot Surface Indicator Lights	1
Oven Cleaning Type	Self-Clean with Steam Clean Option
Oven Control Features	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Recipe Conversion; Auto Self Clean; Certified Sabbath Mode; Chef Connect; Control Lock Capability; Convection Bake; Convection Roast; C° or F° Programmable; Delay Bake Option (Time Cook); Delay Clean Option; Electronic Clock & Kitchen Timer; Fast Preheat; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Steam Clean; Warm Mode
Oven Cooking Modes	Frozen Pizza Multi Rack - Lower Oven (No Preheat); Frozen Pizza Single Rack - Lower Oven (No Preheat); Frozen Snacks Multi Rack - Lower Oven (No Preheat); Frozen Snacks Single Rack - Both Ovens (No Preheat); Proof (Both Ovens); Warming (Both Ovens)
Control Type	Digital Temperature Display; Electronic; Touchpads
Cooking System	True European Convection with Precise Air
Heating Element "ON" Indicator Light	1
Oven Features	6-Pass Broil Element; Hidden Bake
Oven Rack Features	1 Self-Clean Oven Rack (Upper); 2 Self-Clean Oven Racks (Lower); 6 Rack Positions
Product Type	Slide-In Double Oven
Connected Capabilities	Amazon Alexa; DiGiorno; Drop; IFTTT; Innit; Nest; The Google Assistant
Melt Setting	Yes
WiFi Connect	Built-In
Cooking Technology	Traditional Upper; Convection Lower
Cooktop Type	Radiant Smoothtop
Fuel Type	Electric
Oven Interior	1 Halogen Light; 1 Incandescent; Black

- 6.7 cu. ft. total double oven capacity - An upper everyday oven preheats quickly while the larger lower oven is perfect for dinner parties and large meals
- Hidden bake oven interior - Make cleanup easy by eliminating hard-to-reach areas
- Fast preheat - Make hot meals in a hurry with less time preheating

*Have more questions? Please contact 1-800-626-2005*

# GE Profile™ 30" Smart Slide-In Electric Double Oven Convection Range



Profile™ Series

Model# PS960ELES

## APPROXIMATE DIMENSIONS (HxDxW)

- 37 1/4 in x 28 1/4 in x 29 7/8 in

## CAPACITY

- Capacity (Cu. Ft.) 2.2 Upper / 4.4 Lower
- Total Capacity (cubic feet) 6.60 cu ft

## WARRANTY

- Parts Warranty - Limited 1-year entire appliance
- Labor Warranty - Limited 1-year entire appliance
- Warranty Notes - See written warranty for full details

Have more questions? Please contact 1-800-626-2005