


GE Profile™ 30" Built-In Twin Flex Convection Wall Oven



Model# PT9200SLSS



- Fit Guarantee - Replacing a similar wall oven from GE Appliances or another brand? GE wall ovens are guaranteed for an exact fit or GE Appliances will pay up to \$300 toward modifications. See offer criteria and details
- True European Convection with Precise Air (lower oven) - Enjoy golden brown, perfectly even results with a third heating element and a reversing fan that provides enhanced heat and air circulation
- 5.0 cu. ft. total oven capacity (2.8 lower; 2.2 upper) - Cook sides or desserts in the upper oven while roasting a 22-lb. turkey in the lower oven
- Flexible and versatile cooking options - Prepare two different foods at two different temperatures at the exact same time
- Rapid Preheat - The upper oven preheats twice as fast as standard GE models, so everyday meals are ready in less time
- Self-clean, heavy-duty roller rack - Easily access everything from a heavy roast to a delicate dessert thanks to durable racks that glide smoothly on ball bearings and stand up to the heat of self-clean
- Slow cook - Create fall-off-the-bone short ribs while you're at work
- Pizza mode - Get a perfectly crisp pizza crust without burning your toppings
- Self-clean oven - Cleans the oven cavity without the need for scrubbing


FEATURES

Configuration	Double Oven
Cooking System	True European Convection with Precise Air (Lower)
Oven Cleaning Type	Self-Clean (Both Ovens)
Oven Cooking Modes	Convection Bake Multi/Single Rack; Convection Roast; Pizza; Slow Cook; Thermal Bake; Thermal Broil
Self-Clean Oven Door Lock	Automatic
Control Type	Glass Touch
Oven Features	6-Pass Broil Dual (Upper); 8-Pass Bake Element (Both Ovens); 8-Pass Broil Dual (Lower)
Oven Rack Features	2 Self-Clean Heavy Duty Flat Oven Racks, 1 Self-Clean Roller Rack; 2 Upper / 3 Lower Embossed Rack Positions
Product Type	Single/Double Oven
Oven Control Features	Audible Preheat Signal; Auto Recipe Conversion (Lower); Certified Sabbath Mode (Lower); Control Lock Capability; Cook Time; C° or F° Programmable; Delay Bake Option; Delay Clean Option; Dual Broil; Electronic Clock & Kitchen Timer; Light Self Clean Mode (Lower); Mis-Wire Detection; Oven Light Pad; Proof Mode (Lower); Temperature Probe (Lower); Warm Mode (Both Ovens)
Cooking Technology	Traditional Upper; Convection Lower
Fuel Type	Electric
Oven Interior	2 Halogen Interior Oven Lights (Lower); 2 Halogen Interior Oven Lights (Upper)

- Glass touch controls - Set temperatures easily and quickly wipe away fingerprints with this smooth control pad.

Have more questions? Please contact 1-800-626-2005

GE Profile™ 30" Built-In Twin Flex Convection Wall Oven



Model# PT9200SLSS

APPROXIMATE DIMENSIONS (HxDxW)

- 28 1/8 in x 26 3/4 in x 29 3/4 in

CAPACITY

- Capacity (Cu. Ft.) 2.2 Upper / 2.8 Lower
- Total Capacity (cubic feet) 5 cu ft

WARRANTY

- Parts Warranty - Limited 1-year entire appliance
- Labor Warranty - Limited 1-year entire appliance
- Warranty Notes - See written warranty for full details

Have more questions? Please contact 1-800-626-2005