

Hotpoint® PTAC Heat Pump Unit with Electric Heat Backup 12,000 BTU, 230/208V, 30amp



Model# AH12H12D5B

FEATURES

Control Type	Electronic
Product Type	Packaged Terminal Air Conditioners (PTAC)
Refrigerant Type	R32
Temperature Range	62 - 80 F
Fan Speed Selections	3 Cooling; 3 Fan Only; 3 Heating
Unit Features	Auto Power Recovery; Automatic Emergency Heat; Automatic Indoor Frost Control; Central Desk Control Compatibility; Freeze Sentinel; Heat Pump with Resistance Heat Backup; Power Cord (LCDI) included; Remote Thermostat Compatibility
Auto Power Recovery	Yes
Chassis Type	Slide-In
Heat - Cool	Yes
Heat Pump	Yes
Heating - Reverse Cycle - COP	3.20
Manual Vent Control	Hidden
Outdoor Vent / Exhaust	Yes
Rotary Compressor	Yes
Venting Features	Concealed Manual Vent Control; Vent Air Filter
"SmartFan" Fan Cycle	Yes
Discharge Grille	2-position
Fan Motor	2
Heating System	Heat Pump with Resistance Backup

- 3-speed fan - Give guests control over their comfort with three fan speeds to choose from
- 4-temperature limiting options - Easily select one of four temperature ranges for peak efficiency and total customer comfort
- Freeze and frost protection - Automatic freeze and indoor frost control keep units operating in peak condition
- Auto power recovery - In case of power failures, units automatically resume their operation when power restores, reducing maintenance calls
- Self diagnostics - Quickly and easily identify service needs with a nine-point diagnostic code system
- Automatic emergency heat - Keep guests comfortable with a heating option that uses electric resistance heat in heat pump mode
- Backed by an industry leader - With a long history of creating durable products at an affordable price, Hotpoint is your trusted PTAC brand
- Limited 1-year parts and labor entire appliance warranty / limited 5-year refrigerating system warranty - Enjoy peace of mind knowing that all purchases are backed by the trusted Hotpoint service network
- Intuitive display - Allow guests to easily customize their preferred settings and reduce maintenance calls with an easy-to-use control panel
- Power cord (LCDI) included - Hotpoint PTACs come with everything needed for a quick and easy installation
- Remote thermostat compatibility -

- Works with central desk control systems -
- Heatpump models include staged heating -
- Tangential fan for air flow and smooth sound -
- Energy-efficient heat pump models available -

Have more questions? Please contact 1-800-626-2005

Hotpoint® PTAC Heat Pump Unit with Electric Heat Backup
12,000 BTU, 230/208V, 30amp

HOTPOINT

Model# AH12H12D5B

APPROXIMATE DIMENSIONS (HxDxW)

- 16 in x 20 9/10 in x 42 2/5 in

CAPACITY

- CFM Indoor Fan High 387
- Cooling EER (BTUH / Watt) 10.50
- Heating - Reverse Cycle - BTUH 10800/10500
- CFM Indoor Fan Low 308
- CFM Indoor Fan Medium 350
- Cooling BTUH (MAX) 12000.00 Btu
- Cooling BTUH (MIN) 11800.00 Btu

WARRANTY

- Labor Warranty - Limited 1-year entire appliance;
Limited 5-year sealed refrigerating system
- Parts Warranty - Limited 1-year entire appliance;
Limited 5-year sealed refrigerating system
- Warranty Notes - See written warranty for full
details

Have more questions? Please contact 1-800-626-2005